SureLab SL-D1000

DATASHEET / BROCHURE





The SureLab SL-D1000 Series of compact photo printers with duplex capability for flexible commercial production.

The series has been developed for photo shops, professional photographers and businesses that need to print high-quality photos and offer customers a wide range of products, including personalised photo books, cards and calendars. Businesses that could benefit, include: photography retail, event and photo box, stationery, hotels, cafés, bars and restaurants.

Productivity

The SL-D1000 Series features impressive print speeds of up to 385 pph¹ with no compromise on quality. Cartridges have been replaced by Epson's Integrated Ink Pack System ink bags, providing 25% more ink than their predecessor, resulting in fewer ink changes, reduced downtime and less waste. Productivity is also improved when used in combination with the optional duplex feeder (included in the SL-D1000A).

Flexibility

They're lightweight, with small footprints, and feature Wi-Fi/LAN connectivity. The user can make the best use of available space and place SL-D1000 Series printers almost anywhere, and integrate into an existing infrastructure. Thanks to the new heating system, noise level and power consumption are reduced, keeping the printing both customer and eco-friendly. They're also capable of printing on a wide range of media.

Quality

The UltraChrome D6r-S ink system provides superior image quality. The wide colour gamut delivers detailed images and realistic skin tones with smooth tonal gradations and deep, natural blacks with the superior gloss level of a dye-based printer.

Reliability

The SL-D1000 series has been developed to keep the user running for longer with product lifetimes of 400k prints (15x10cm). Also, with New Nozzle Detection Technology they're capable of identifying missing and misaligned nozzles.

KEY FEATURES

- Duplex photo printing Duplex feeder cassette (up to 100 A4 sheets) for auto-sheet production²
- Impressive print speeds Up to 385 pph¹ with no compromise on quality
- Compact design Small footprint, lightweight and easy to transport
- Enhanced connectivity Wi-Fi, LAN and USB
- High-quality output UltraChrome D6r-S ink system and wide colour gamut



PRODUCT SPECIFICATIONS

PRINT TECHNOLOGY	
Number of Printers included	1
Printing Method	Epson Micro Piezo drop-on-demand inkjet technology, High-performance print head
	technology designed for robust printing environments, Variable Sized Droplet Technology
Printing Resolution	1440x720dpi on Luster Paper, 1440x720dpi on Glossy Paper
Minimum Droplet Size	2.5 pl, With Variable-Sized Droplet Technology
Print Speed - High Speed [prints/h]	460 - 15 x 10 cm (6 x 4 ")
Print Speed - Standard [prints/h]	385 - 15 x 10 cm (6 x 4 ")
Print Speed - High Quality	200 - 15 x 10 cm (6 x 4 ")
[prints/h]	
Print Speed - Single Print	in 19 sec - 15 x 10 cm (6 x 4 ")
using Quick Print Mode	
INK	
Ink Technology	Ultrachrome® D6r-S
Ink Set	6 colours
Available Colours	Black, Cyan, Light Cyan, Light Magenta, Magenta, Yellow
Ink volume per colour	250 ml
Inde Countraine	Integrated Ink Pack System
Ink System	Integrated link Fack System
MEDIA	
	Glossy, Lustre, Matte
MEDIA	
MEDIA Supported Media	Glossy, Lustre, Matte
MEDIA Supported Media Media Handling	Glossy, Lustre, Matte Borderless Print, Roll (Simplex), Single Sheet (Simplex, Auto Duplex)
MEDIA Supported Media Media Handling No. Of Roll holders	Glossy, Lustre, Matte Borderless Print, Roll (Simplex), Single Sheet (Simplex, Auto Duplex) 1 pcs
MEDIA Supported Media Media Handling No. Of Roll holders Roll specs	Glossy, Lustre, Matte Borderless Print, Roll (Simplex), Single Sheet (Simplex, Auto Duplex) 1 pcs Max. Roll Length 65 m 102mm (4-inch), 127mm (5-inch), 152mm (6-inch), 203mm (8-inch), 210mm (A4), 89mm (3.5-
MEDIA Supported Media Media Handling No. Of Roll holders Roll specs Supported media width Print size (Roll)	Glossy, Lustre, Matte Borderless Print, Roll (Simplex), Single Sheet (Simplex, Auto Duplex) 1 pcs Max. Roll Length 65 m 102mm (4-inch), 127mm (5-inch), 152mm (6-inch), 203mm (8-inch), 210mm (A4), 89mm (3.5- inch)
MEDIA Supported Media Media Handling No. Of Roll holders Roll specs Supported media width Print size (Roll)	Glossy, Lustre, Matte Borderless Print, Roll (Simplex), Single Sheet (Simplex, Auto Duplex) 1 pcs Max. Roll Length 65 m 102mm (4-inch), 127mm (5-inch), 152mm (6-inch), 203mm (8-inch), 210mm (A4), 89mm (3.5- inch) 8.9 cm x 5 cm to 21 cm x 100 cm
MEDIA Supported Media Media Handling No. Of Roll holders Roll specs Supported media width Print size (Roll) Print Size (Rear Single Sheet Simplex) Print Size (Rear Single Sheet	Glossy, Lustre, Matte Borderless Print, Roll (Simplex), Single Sheet (Simplex, Auto Duplex) 1 pcs Max. Roll Length 65 m 102mm (4-inch), 127mm (5-inch), 152mm (6-inch), 203mm (8-inch), 210mm (A4), 89mm (3.5- inch) 8.9 cm x 5 cm to 21 cm x 100 cm
MEDIA Supported Media Media Handling No. Of Roll holders Roll specs Supported media width Print size (Roll) Print Size (Rear Single Sheet Simplex)	Glossy, Lustre, Matte Borderless Print, Roll (Simplex), Single Sheet (Simplex, Auto Duplex) 1 pcs Max. Roll Length 65 m 102mm (4-inch), 127mm (5-inch), 152mm (6-inch), 203mm (8-inch), 210mm (A4), 89mm (3.5- inch) 8.9 cm x 5 cm to 21 cm x 100 cm - 8.9 cm x 14.8 cm to 21 cm x 100 cm
MEDIA Supported Media Media Handling No. Of Roll holders Roll specs Supported media width Print size (Roll) Print Size (Rear Single Sheet Simplex) Print Size (Rear Single Sheet Duplex) Max. Print width	Glossy, Lustre, Matte Borderless Print, Roll (Simplex), Single Sheet (Simplex, Auto Duplex) 1 pcs Max. Roll Length 65 m 102mm (4-inch), 127mm (5-inch), 152mm (6-inch), 203mm (8-inch), 210mm (A4), 89mm (3.5- inch) 8.9 cm x 5 cm to 21 cm x 100 cm - 8.9 cm x 14.8 cm to 21 cm x 100 cm - 8.9 cm x 14.8 cm to 21 cm x 29.7 cm 210 mm
MEDIA Supported Media Media Handling No. Of Roll holders Roll specs Supported media width Print size (Roll) Print Size (Rear Single Sheet Simplex) Print Size (Rear Single Sheet Duplex)	Glossy, Lustre, Matte Borderless Print, Roll (Simplex), Single Sheet (Simplex, Auto Duplex) 1 pcs Max. Roll Length 65 m 102mm (4-inch), 127mm (5-inch), 152mm (6-inch), 203mm (8-inch), 210mm (A4), 89mm (3.5- inch) 8.9 cm x 5 cm to 21 cm x 100 cm - 8.9 cm x 14.8 cm to 21 cm x 100 cm
MEDIA Supported Media Media Handling No. Of Roll holders Roll specs Supported media width Print size (Real) Print Size (Rear Single Sheet Simplex) Print Size (Rear Single Sheet Duplex) Max. Print width Print Margins Auto Cutter	Glossy, Lustre, Matte Borderless Print, Roll (Simplex), Single Sheet (Simplex, Auto Duplex) 1 pcs Max. Roll Length 65 m 102mm (4-inch), 127mm (5-inch), 152mm (6-inch), 203mm (8-inch), 210mm (A4), 89mm (3.5- inch) 8.9 cm x 5 cm to 21 cm x 100 cm - 8.9 cm x 14.8 cm to 21 cm x 100 cm - 8.9 cm x 14.8 cm to 21 cm x 29.7 cm 210 mm 3mm all sides (Sheet media), Border defined by application, Borderless on supported sizes Yes
MEDIA Supported Media Media Handling No. Of Roll holders Roll specs Supported media width Print size (Roll) Print Size (Rear Single Sheet Simplex) Print Size (Rear Single Sheet Duplex) Max. Print width Print Margins	Glossy, Lustre, Matte Borderless Print, Roll (Simplex), Single Sheet (Simplex, Auto Duplex) 1 pcs Max. Roll Length 65 m 102mm (4-inch), 127mm (5-inch), 152mm (6-inch), 203mm (8-inch), 210mm (A4), 89mm (3.5- inch) 8.9 cm x 5 cm to 21 cm x 100 cm - 8.9 cm x 14.8 cm to 21 cm x 100 cm - 8.9 cm x 14.8 cm to 21 cm x 29.7 cm 210 mm 3mm all sides (Sheet media), Border defined by application, Borderless on supported sizes

SureLab SL-D1000



PRODUCT SPECIFICATIONS

GENERAL	
Other Hardware	Auto Ink Detection, Auto Nozzle Check System, Control Panel, LCD Display
Environmental Conditions -	Operating: 10 - 35 °C (except Matte)
Temperature	
Environmental Conditions -	Operating 20 - 80 % (except Matte, no condensation), Storage 5 - 85 % (no condensation)
Humidity	
Power Consumption	Operating (approx.) 80 W Ready Mode (approx.) 14 W Sleep Mode (approx.) 1 W
Available Software	Printer Driver (standard bundling), Order Controller (optional), Printer Maintenance Utility
	(Standard Bundling), OrderController LE, Epson Cloud Solution Port
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet interface (100 Base-TX / 10
	Base-T), Wireless LAN IEEE 802.11b/g/n
Noise Level	Operation (Roll): 50 dB (A) Ready Mode: 37 dB (A)
Product dimensions	460 x 374 x 343 mm (Width x Depth x Height)
Product dimensions with tray	460 x 683 x 359 mm (Width x Depth x Height)
Product dimensions with tray	460 x 726 x 493 mm (Width x Depth x Height)
and manual feed	
Installation Space (Footprint)	520 x 424 mm (Width x Depth); 0.22 m ₂
Product weight	17.6 kg without media and ink
Product Life	400,000 prints in 15 x 10 cm
Available Apps	Epson Photo Creator, Epson Mobile Order Manager, Epson SmartPanel, Epson Connect
	Service, Mopria Print Service, Epson iPrint
Device Security	Kensington lock connection, lockable Ink compartment(s)
OTHER	
Warranty	12 months On-site service
	Optional warranty extension available

LOGISTICS INFORMATION

ѕки	C11CJ33301BY
EAN code	8715946697765
Country of Origin	Philippines
Layer	2 Units
Layer Block	2 Units

SureLab SL-D1000

WHAT'S IN THE BOX

- CD Manual
- Driver and Utilities (CD)
- Maintenance Tank
- Power cable
- Setup guide
- Spindle Unit(s)

SUPPLIES

	 SureLab Pro-S Paper Glossy BP 4x65 2 rolls
	 SureLab Pro-S Paper Glossy BP 5x65 2 rolls
	 SureLab Pro-S Paper Glossy BP 6x65 2 rolls
	 SureLab Pro-S Paper Glossy BP 8x65 2 rolls
	 SureLab Pro-S Paper Glossy BP A4x65 2 rolls
	 SureLab Pro-S Paper Luster BP 4x65 2 rolls
	 SureLab Pro-S Paper Luster BP 5x65 2 rolls
	 SureLab Pro-S Paper Luster BP 6x65 2 rolls
	 SureLab Pro-S Paper Luster BP 8x65 2 rolls
	 SureLab Pro-S Paper Luster BP A4x65 2 rolls
	 SureLab Pro-S Paper Luster BP 3.5x65 4 rolls
	 SureLab Pro-S Paper Glossy BP 3.5x65 4 rolls
	 T46K1 Black SURELAB SL-D1000
	 T46K2 Cyan SURELAB SL-D1000
	 T46K3 Magenta SURELAB SL-D1000
	 T46K4 Yellow SURELAB SL-D1000
	 T46K5 Light Cyan SURELAB SL-D1000
	 T46K6 Light Magenta SURELAB SL-D1000
-	 SureLab Photo Paper Gloss (250) 3.5"x65m 4rolls
	 SureLab Photo Paper Gloss (250) 4"cmx65m 4roll
	 SureLab Photo Paper Gloss (250) 5"x65m 4rolls
_	 SureLab Photo Paper Gloss (250) 6"x65m 4rolls
	 SureLab Photo Paper Gloss (250) 8"x65m 2rolls
	 SureLab Photo Paper Gloss (250) 8.3"x65m 2rolls
	 SureLab Photo Paper Luster (250) 3.5"x65m 4rolls
	 SureLab Photo Paper Luster (250) 4"x65m 4rolls
	 SureLab Photo Paper Luster (250) 5"x65m 4rolls
	SureLab Photo Paper Luster (250) 6"x65m 4rolls
	SureLab Photo Paper Luster (250) 8"x65m 2rolls
	SureLab Photo Paper Luster (250) 8.3"x65m 2rolls
	Maintenance Box for SL
	 SureLab Photo Paper Gloss-DS(225) A5 800sheets SureLab Photo Paper Gloss-DS(225) A4 800sheets
	 SureLab Photo Paper Gloss-DS(225) A4 6005heets SureLab Photo Paper Gloss-DS(225) 10cmx15cm 800sheets
	 SureLab Photo Paper Gloss-DS(225) 13cmx18cm 800sheets SureLab Photo Paper Gloss-DS(225) 13cmx18cm 800sheets
	 SureLab Photo Paper Gloss-DS(225) 13CH1/18CH1 800Sheets SureLab Photo Paper Gloss-DS(225) 20cmx25cm 800sheets
	 SureLab Photo Paper Gloss-DS(225) 2007X25077 6003heets SureLab Photo Paper Gloss-DS(225) 15cmx15cm 400sheets
	 SureLab Photo Paper Gloss-DS(225) 21cmx21cm 800sheets
	SureLab Photo Paper Gloss-DS(190) A5 800sheets
	 SureLab Photo Paper Gloss-DS(190) A4 800sheets
	• SureLab Photo Paper Gloss-DS(190) 10cmx15cm 800sheets
	• SureLab Photo Paper Gloss-DS(190) 13cmx18cm 800sheets
	• SureLab Photo Paper Gloss-DS(190) 20cmx25cm 800sheets
	• SureLab Photo Paper Gloss-DS(190) 15cmx15cm 400sheets
	• SureLab Photo Paper Gloss-DS(190) 21cmx21cm 800sheets
	 SureLab Photo Paper Luster-DS(225) A5 800sheets

EPSON[®]

SureLab SL-D1000



For more information please contact:

Home users: 0343 90 37766 Business users*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus * 10p per minute plus network extras.

Web: www.epson.co.uk www.epson.ie

1. 15x10cm prints at Standard Quality 2.

3. SureLab SL-D1000A model



Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2023-03-03